

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	1	10/014153	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 13:42
L6	1	messag\$4 adj3 load and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 13:42
L7	3	messag\$4 adj3 load same rach	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 13:44
L8	2	messag\$4 adj3 load same hardware adj3 requirement\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 13:44
L9	2	messag\$4 adj3 load near20 rach	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 13:45
L10	0	messag\$4 adj3 load same access adj3 burst	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 13:45
L11	19	messag\$4 adj3 load and access adj3 burst	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 13:46
L12	0	messag\$4 adj3 load and variable adj3 length near20 access adj3 burst	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 13:46

L13	11	variable adj3 length near20 access adj3 burst	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 13:46
L14	5	variable adj3 length near20 access adj3 burst and load\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 13:46
L15	1505	variable adj3 (length size) near20 slot (access adj3 burst) and messag\$4 adj3 load\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 13:48
L16	14	variable adj3 (length size) near20 (slot (access adj3 burst)) and messag\$4 adj3 load\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 13:48
S1	164	allow\$4 with access\$4 with slot\$1 with random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/27 16:52
S2	35	{sett\$4 defin\$4 assign\$4 allocat\$4 predetermin\$4) with S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/27 16:55
S3	10	S2 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/27 16:55
S4	18024	prach aich rac rach	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:47
S5	38	(allow\$4 near20 (timeslot\$1 slot\$1)) near20 S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:47
S6	8	S5 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 09:48

S7	25164	prach aich rac rach bch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 10:00
S8	6649	S7 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 10:00
S9	879	S7 and wodma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 10:00
S10	15	S9 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 10:00
S11	25164	prach aich rac rach bch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 13:52
S12	927	S11 and (wodma utms)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 13:52
S13	25	S12 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 13:52
S14	40	("20020089957" "20040008658" "5526357" "5541924" "5673259" "5694391" "5752193" "5822359" "5883887" "6073018" "6285662" "6314081" "6330459" "6373833" "6393047" "6438375" "6567482" "6643275" "6643275" "6724813" "6836469").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 14:38
S15	20	("20020089957" "20040008658" "5526357" "5541924" "5673259" "5694391" "5752193" "5822359" "5883887" "6073018" "6285662" "6314081" "6330459" "6373833" "6393047" "6438375" "6567482" "6643275" "6643275" "6724813" "6836469").PN.	US-PGPUB; USPAT	OR	ON	2009/05/28 14:38
S16	18	S15 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 14:39
S17	4	("4630264" "4817089" "5131010" "6144645").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/05/28 16:29

S18	3907	random\$2 near20 (select\$4 choos\$4 assign\$4 allocat\$4) near20 (timeslot\$1 slot\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 16:54
S19	54	S18 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 16:54
S20	4	S19 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 16:54
S21	634	random\$2 near20 (select\$4 choos\$4 assign\$4 allocat\$4) near20 (timeslot\$1 slot\$1) near20 access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 16:58
S22	149	S21 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 16:59
S23	20	S22 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 16:59
S24	2	"5420864".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 10:24
S25	11	08/847655	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:00
S26	12	08/733501	US-PGPUB; USPAT	OR	ON	2009/06/02 09:00
S27	12	S25 S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 09:00
S28	1	10/014153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:23
S29	1	S28 and allow\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:23

S30	7706	{allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:51
S31	213	wodma and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:51
S32	25178	prach aich rac rach bch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:51
S33	328	S32 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:51
S34	11124	{set\$4 defin\$4 allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:52
S35	431	S34 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:52
S36	57	wodma and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:52
S37	3	S36 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 10:53
S38	8427	{designat\$4 reserv\$4 allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 11:54
S39	11751	{designat\$4 reserv\$4 set\$4 defin\$4 allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 11:54
S40	465	S39 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 11:55

S41	66	wodma and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 11:55
S42	3	S41 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 11:55
S43	2	random\$2 near20 select\$4 near20 (time timeslot (time adj1 slot)) near20 preamble near20 need\$3 near20 transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 08:42
S44	22667	((370/320,326,335,342,348- 350,395.4,450,458-459,461- 462,509,512,514) or (375/134,137,145,149,)),OCLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/03 10:05
S45	25178	prach aich rac rach bch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 10:06
S46	906	S44 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 10:06
S47	11124	(set\$4 defin\$4 allow\$4 assign\$4 allocat \$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 10:06
S48	431	S47 and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 10:06
S49	130	S46 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 10:06
S50	11751	(designat\$4 reserv\$4 set\$4 defin\$4 allow \$4 assign\$4 allocat\$4 (pre adj3 (register \$4 determin\$4))) near20 access\$4 near4 slot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 10:07
S51	130	S49 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 10:07

S52	18	wodma and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 10:07
S53	189	allow\$4 with access\$4 with slot\$1 with random	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S54	37	(sett\$4 defin\$4 assign\$4 allocat\$4 predetermin\$4) with S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S55	10	S54 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S56	19916	prach aich rac rach	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S57	46	(allow\$4 near20 (timeslot\$1 slot\$1)) near20 S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S58	8	S57 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S59	27678	prach aich rac rach boh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S60	6651	S59 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S61	1130	S59 and wodma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S62	15	S61 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33

S63	27678	prach aich rac rach bch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S64	1184	S63 and (wodma utms)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S65	25	S64 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S66	40	("20020089957" "20040008658" "5526357" "5541924" "5673259" "5694391" "5752193" "5822359" "5883887" "6073018" "6285662" "6314081" "6330459" "6373833" "6393047" "6438375" "6567482" "6643275" "6643275" "6724813" "6836469").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S67	20	("20020089957" "20040008658" "5526357" "5541924" "5673259" "5694391" "5752193" "5822359" "5883887" "6073018" "6285662" "6314081" "6330459" "6373833" "6393047" "6438375" "6567482" "6643275" "6643275" "6724813" "6836469").PN.	US-PGPUB; USPAT	OR	ON	2010/01/29 11:33
S68	18	S67 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S69	4	("4630264" "4817089" "5131010" "6144645").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/01/29 11:33
S70	4311	random\$2 near20 (select\$4 choos\$4 assign\$4 allocat\$4) near20 (timeslot\$1 slot\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S71	74	S70 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S72	4	S71 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S73	718	random\$2 near20 (select\$4 choos\$4 assign\$4 allocat\$4) near20 (timeslot\$1 slot\$1) near20 access\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33

S74	188	S73 and S63	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S75	20	S74 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S76	2	"5420864".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S77	11	08/847655	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S78	12	08/733501	US-PGPUB; USPAT	OR	ON	2010/01/29 11:33
S79	12	S77 S78	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S80	1	10/014153	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S81	1	S80 and allow\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S82	8320	{allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access \$4 near4 slot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S83	254	wodma and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S84	27678	prach aich rac rach bch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S85	365	S84 and S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33

S86	11915	{set\$4 defin\$4 allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S87	478	S86 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S88	71	wodma and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S89	3	S88 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S90	9081	{designat\$4 reserv\$4 allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S91	12577	{designat\$4 reserv\$4 set\$4 defin\$4 allow\$4 assign\$4 allocat\$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S92	516	S91 and S84	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S93	84	wodma and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S94	3	S93 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S95	2	random\$2 near20 select\$4 near20 (time timeslot (time adj1 slot)) near20 preamble near20 need\$3 near20 transmit\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S96	24499	((370/320,326,335,342,348-350,395,4,450,458-459,461-462,509,512,514) or (375/134,137,145,149,)).OCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/29 11:33

S97	27678	prach aich rac rach boh	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S98	1056	S96 and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S99	11915	((set\$4 defin\$4 allow\$4 assign\$4 allocat \$4 (pre adj3 (register\$4 determin\$4))) near20 access\$4 near4 slot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S100	478	S99 and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S101	145	S98 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S102	12577	(designat\$4 reserv\$4 set\$4 defin\$4 allow \$4 assign\$4 allocat\$4 (pre adj3 (register \$4 determin\$4))) near20 access\$4 near4 slot\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S103	145	S101 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S104	24	wodma and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 11:33
S105	3	((("6169759") or ("6285662") or ("6574212")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/01/29 12:15
S106	4	((("6169759") or ("6285662") or ("6574212") or ("6567482")).PN.	USPAT	OR	OFF	2010/01/29 12:23
S107	164	rach same dynamic\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 12:34
S108	30	S107 and @ad<="19990526"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 12:34

S109	3	S106 and length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/01/29 12:34
------	---	-----------------	---	----	----	---------------------

1/ 29/ 2010 2:33:58 PM

C:\Documents and Settings\pnguyen3\My Documents\EAST\Workspaces\10014153.wsp